



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/711,859	11/12/2000	Mika Henrik Tuomi	BBOY-25.415	8594
25883	7590	10/06/2003	EXAMINER	
HOWISON & ARNOTT, L.L.P			AMINI, JAVID A	
P.O. BOX 741715			ART UNIT	
DALLAS, TX 75374-1715			PAPER NUMBER	

2672

DATE MAILED: 10/06/2003

12

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/711,859

Applicant(s)

TUOMI ET AL.

Examiner

Javid A Amini

Art Unit

2672

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 3-20 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 3-20 is/are rejected.
- 7) ☒ Claim(s) 3-20 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

### Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

### Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

***Response to Arguments***

Applicant's arguments filed July 18, 2003 have been fully considered but they are not persuasive.

- Response to remarks on page 7, lines 1-29: Applicant argues that the reference Stroyan does not disclose only more than a single neighbor operation.  
Examiner's reply: Stroyan in Fig. 6, steps 212 and 214 illustrates clearly that determines direction to edge and encode direction into 3 bits (see Fig. 5A), by knowing that each pixel has four to eight neighbors (stencil) and each neighbor has 4-8 neighbors. Therefore Stroyan teaches more than one neighbor operation.
- Response to remarks on page 8, lines 1-11: Applicant argues that the reference does not teach the antialiasing value. Examiner's reply: Stroyan in Fig. 1, and also in col. 2, lines 23-50, discloses and explains the antialiasing values of these edge pixels will be assigned some shade of colors.
- Response to remarks on page 8, lines 12-17: Applicant argues that the reference does not have a pattern. Examiner's reply: In contrast, see Fig. 5A or 1, the pattern of a stencil is inherent.
- Response to remarks on page 8, lines 18-21: Applicant argues that the reference does not constitute a map. Examiner's reply: Stroyan in col. 5, lines 6-16, discloses and also in Fig. 1, clearly illustrates the Anti-aliasing methods. That are generally classified into a super-sampling method and an area sampling method. In the super-sampling method, the color value of a pixel is calculated by obtaining the color values of several sub-pixels within the pixel and averaging (or blending)

Art Unit: 2672

the obtained color values of the sub-pixels. In area sampling, the area of the polygon occupying a pixel is calculated and then the color value of the area ratio is calculated.

- Response to remarks on page 8, lines 22-28: Applicant argues that the reference does not store the antialiasing value. Examiner's reply: Stroyan clearly illustrates the Anti-aliasing methods. That are generally classified into a super-sampling method and an area sampling method. In the super-sampling method, the color value of a pixel is calculated by obtaining the color values of several sub-pixels within the pixel and averaging (or blending) the obtained color values of the sub-pixels. In area sampling, the area of the polygon occupying a pixel is calculated and then the color value of the area ratio is calculated. However this approach requires additional memory, and more extensive computations.
- Response to remarks on page 9, lines 1-5: Applicant argues that the reference does not teach depth value for the purpose of rendering the pixel. Examiner's reply: Stroyan in abstract discloses the depth value for the purpose of rendering the pixel.
- The pervious office action is still maintained.

***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

1. Claim 3-20 rejected under 35 U.S.C 102(e) as being anticipated by Stroyan US patent 6,429,877 B1, filled date of July 30, 1999.

2. Claim 3.

As for claim 3, “determining coverage parameters associated with an edge pixel on an edge of a polygon being rendered that is stored in a first buffer; creating an antialiasing value representing the relationship of the edge pixel to its surrounding neighbors as to the amount of color that is to be blended into the edge pixel of a color corresponding to that of its surrounding neighbors”, Stroyan discloses and illustrates in (col. 8, lines 50-67) and Fig. 6, that is illustrating the top-level functional operation of a method for preserving color blending information, in accordance with one aspect of the present invention. In accordance with this method, a first step (step 202) may be to determine whether a 10 given pixel is an edge pixel (i.e., a pixel that borders a primitive edge). If not, then the pixel color may be directly written into the appropriate memory segment of the frame buffer (step 204). Thereafter, a coverage value of one (binary value "11111") may be written to the extra byte 162 of memory segment 160, corresponding to the current pixel (step 206). Thereafter, the method may proceed to the next pixel (step 208), and

Art Unit: 2672

the foregoing steps may be repeated for each pixel of a rasterization. If a given pixel is determined to be an edge pixel, then the method may determine the coverage area for the current pixel (step 210). In this regard, the coverage area is the percentage of the pixel (containing the center point) that lies within the edge of the primitive.

“storing the antialiasing value in a second buffer in association with the edge pixel in the first buffer”, Stroyan discloses in abstract that a system is provided having frame buffer circuitry uniquely configured for rendering an antialiased graphics scene. In accordance with one embodiment, the frame buffer circuitry includes a first memory segment for storing color values associated with pixels, a second memory segment for storing alpha values associated with the pixels, a third memory segment for storing depth values associated with the pixels, and a fourth memory segment for storing anti-alias blending information associated with the pixels.

3. Claim 4.

As for claim 4, “wherein the created antialiasing value is a single antialiasing value represented as a digital word”, the step is inherent because all created value/s represented by digital word.

4. Claim 5.

As for claim 5, “wherein the step of creating the antialiasing value comprises the steps of: supersampling the edge pixel during rendering thereof to provide a plurality of subpixels, wherein each of the subpixels contains information as to coverage by the polygon”, Stroyan discloses in (col. 2, lines 52-60) that anti-aliasing methods are generally classified into a super-sampling method and an area sampling method. In the super-sampling method, the color value of a pixel is calculated by obtaining the color values of several sub-pixels within the pixel and averaging (or blending) the obtained color values of the sub-pixels. In area

Art Unit: 2672

sampling, the area of the polygon occupying a pixel is calculated and then the color value of the area ratio is calculated.

“converting the coverage pattern of the subpixels into a single antialiasing value that represents the positional relationship of the coverage as to neighboring pixels”, Stroyan teaches in (col. 3, lines 50-54)) that the region of interest is effectively extended to pixels that touch the primitive edge in any amount. This allows the invention to represent minority coverage of a pixel by an appropriate blending by a coverage percentage.

5. Claim 6.

As for claim 6, “wherein the single antialiasing value represents both coverage percentage and the coverage pattern”, the step is inherent because both coverage (percentage and pattern) are sharing the same information.

6. Claim 7.

As for claim 7, “wherein the single antialiasing value comprises a map of the subpixels”, Stroyan teaches in (col. 2, lines 51-60) that anti-aliasing methods are generally classified into a super-sampling method and an area sampling method. In the super-sampling method, the color value of a pixel is calculated by obtaining the color values of several sub-pixels within the pixel and averaging (or blending) the obtained color values of the sub-pixels. In area sampling, the area of the polygon occupying a pixel is calculated and then the color value of the area ratio is calculated.

7. Claim 8.

As for claim 8, “wherein the single antialiasing value has a plurality of bit associated therewith in a digital word of a length equal to the number of subpixels, with each bit having a value that

Art Unit: 2672

represents whether the subpixel is covered”, the step is inherent because all created value/s represented by digital word and the value is representing the subpixel.

8. Claim 9.

As for claim 9, “further comprising the step of filtering the edge pixel prior to a display operation, comprising the steps of: retrieving the edge pixel and the associated antialiasing value; determining the color of at least one adjacent pixel to the edge pixel; blending the color of the at least one adjacent pixel with the edge pixel as a function of the positional relationship of the subpixels in the supersampled edge pixel to provide an antialiased pixel; and storing the antialiased pixel in a frame buffer”, see rejection of claims 3 and 5.

9. Claim 10.

As for claim 10, “wherein the step of determining comprises the step of determining the color of at least two adjacent pixels to the edge pixel, and the step of blending comprises blending the color of the at least two adjacent pixels with the edge pixel as a function of the positional relationship of the subpixels in the supersampled edge pixel to the at least two adjacent pixels to provide the antialiased pixel”, see rejection of claims 5 and 7.

10. Claim 11.

As for claim 11, “wherein the step of creating the antialiasing value for the edge pixel is operable to further create a depth value in association with the antialiasing value, which depth value comprises the depth value of the subpixel that is covered by the foremost polygon”, Stroyan teaches in (col. 2, lines 51-60) that anti-aliasing methods are generally classified into a super-sampling method and an area sampling method. In the super-sampling method, the color value of a pixel is calculated by obtaining the color values of several sub-pixels within the pixel and



Art Unit: 2672

averaging (or blending) the obtained color values of the sub-pixels . In area sampling, the area of the polygon occupying a pixel is calculated and then the color value of the area ratio is calculated.

11. Claim 12.

As for claim 12, "A graphics engine for antialiasing edge pixels in a rendering operation, comprising: a rendering engine for determining coverage parameters associated with an edge pixel on an edge of a polygon being rendered that is stored in a first buffer; an antialiasing engine for creating an antialiasing value representing the relationship of the edge pixel to its surrounding neighbors as to the amount of color that is to be blended into the edge pixel of a color corresponding to that of its surrounding neighbors; and a second buffer for storing the antialiasing value in association with the edge pixel in said first buffer", Stroyan discloses and illustrates in (col. 8, lines 50-67) and Fig. 6, that is illustrating the top-level functional operation of a method for preserving color blending information, in accordance with one aspect of the present invention. In accordance with this method, a first step (step 202) may be to determine whether a 10 given pixel is an edge pixel (i.e., a pixel that borders a primitive edge). If not, then the pixel color may be directly written into the appropriate memory segment of the frame buffer (step 204). Thereafter, a coverage value of one (binary value "11111") may be written to the extra byte 162 of memory segment 160, corresponding to the current pixel (step 206). Thereafter, the method may proceed to the next pixel (step 208), and the foregoing steps may be repeated for each pixel of a rasterization. If a given pixel is determined to be an edge pixel, then the method may determine the coverage area for the current pixel (step 210). In this

Art Unit: 2672

regard, the coverage area is the percentage of the pixel (containing the center point) that lies within the edge of the primitive.

Stroyan discloses in abstract that a system is provided having frame buffer circuitry uniquely configured for rendering an antialiased graphics scene. In accordance with one embodiment, the frame buffer circuitry includes a first memory segment for storing color values associated with pixels, a second memory segment for storing alpha values associated with the pixels, a third memory segment for storing depth values associated with the pixels, and a fourth memory segment for storing anti-alias blending information associated with the pixels.

12. Claim 13.

As for claim 13, “wherein the created antialiasing value is a single antialiasing value represented as a digital word”, see rejection of claim 12.

13. Claim 14.

As for claim 14, “wherein said antialiasing engine comprises: a supersampling engine for supersampling the edge pixel during rendering thereof to provide a plurality of subpixels, wherein each of the subpixels contains information as to coverage by the polygon; and a conversion device for converting the coverage pattern of the subpixels into a single antialiasing value that represents the positional relationship of the coverage as to neighboring pixels”, Stroyan discloses in (col. 2, lines 52-60) that anti-aliasing methods are generally classified into a super-sampling method and an area sampling method. In the super-sampling method, the color value of a pixel is calculated by obtaining the color values of several sub-pixels within the pixel and averaging (or blending) the obtained color values of the sub-pixels. In area sampling, the area of the polygon occupying a pixel is calculated and then the color value of the

Art Unit: 2672

area ratio is calculated. Stroyan teaches in (col. 3, lines 50-54)) that the region of interest is effectively extended to pixels that touch the primitive edge in any amount. This allows the invention to represent minority coverage of a pixel by an appropriate blending by a coverage percentage.

14. Claim 15.

As for claim 15, “wherein the single antialiasing value represents both coverage percentage and the coverage pattern”, the step is inherent because both coverage (percentage and pattern) are sharing the same information.

15. Claim 16.

As for claim 16, “wherein the single antialiasing value comprises a map of the subpixels”, Stroyan teaches in (col. 2, lines 51-60) that anti-aliasing methods are generally classified into a super-sampling method and an area sampling method. In the super-sampling method, the color value of a pixel is calculated by obtaining the color values of several sub-pixels within the pixel and averaging (or blending) the obtained color values of the sub-pixels. In area sampling, the area of the polygon occupying a pixel is calculated and then the color value of the area ratio is calculated.

16. Claim 17.

As for claim 17, “ wherein the single antialiasing value has a plurality of bits associated therewith in a digital word of a length equal to the number of subpixels, with each bit having a value that represents whether the subpixel is covered”, the step is inherent because all created value/s represented by digital word and the value is representing the subpixel.

Art Unit: 2672

## 17. Claim 18.

As for claim 18, “and further comprising a filter processing engine operable to filter the edge pixel prior to a display operation by: retrieving the edge pixel and the associated antialiasing value; determining the color of at least one adjacent pixel to the edge pixel; blending the color of the at least one adjacent pixel with the edge pixel as a function of the positional relationship of the subpixels in the supersampled edge pixel to provide an antialiased pixel; and storing the antialiased pixel in a frame buffer”, Stroyan discloses and illustrates in (col. 8, lines 50-67) and Fig. 6, that is illustrating the top-level functional operation of a method for preserving color blending information, in accordance with one aspect of the present invention. In accordance with this method, a first step (step 202) may be to determine whether a given pixel is an edge pixel (i.e., a pixel that borders a primitive edge). If not, then the pixel color may be directly written into the appropriate memory segment of the frame buffer (step 204). Thereafter, a coverage value of one (binary value "11111") may be written to the extra byte 162 of memory segment 160, corresponding to the current pixel (step 206). Thereafter, the method may proceed to the next pixel (step 208), and the foregoing steps may be repeated for each pixel of a rasterization. If a given pixel is determined to be an edge pixel, then the method may determine the coverage area for the current pixel (step 210). In this regard, the coverage area is the percentage of the pixel (containing the center point) that lies within the edge of the primitive. Stroyan discloses in abstract that a system is provided having frame buffer circuitry uniquely configured for rendering an antialiased graphics scene. In accordance with one embodiment, the frame buffer circuitry includes a first memory segment for storing color values associated with pixels, a second memory segment for storing alpha values associated with the

Art Unit: 2672

pixels, a third memory segment for storing depth values associated with the pixels, and a fourth memory segment for storing anti-alias blending information associated with the pixels. Stroyan discloses in (col. 2, lines 52-60) that anti-aliasing methods are generally classified into a super-sampling method and an area sampling method. In the super-sampling method, the color value of a pixel is calculated by obtaining the color values of several sub-pixels within the pixel and averaging (or blending) the obtained color values of the sub-pixels. In area sampling, the area of the polygon occupying a pixel is calculated and then the color value of the area ratio is calculated.

18. Claim 19.

As for claim 19, “wherein said filter is operable to determine the color of at least two adjacent pixels to the edge pixel, and blend the color of the at least two adjacent pixels with the edge pixel as a function of the positional relationship of the subpixels in the supersampled edge pixel to the at least two adjacent pixels to provide the antialiased pixel”, Stroyan teaches in (col. 2, lines 51-60) that anti-aliasing methods are generally classified into a super-sampling method and an area sampling method. In the super-sampling method, the color value of a pixel is calculated by obtaining the color values of several sub-pixels within the pixel and averaging (or blending) the obtained color values of the sub-pixels. In area sampling, the area of the polygon occupying a pixel is calculated and then the color value of the area ratio is calculated. And also see rejection of claim 3.

19. Claim 20.

As for claim 20, “wherein said antialiasing engine is operable to further create a depth value in association with the antialiasing value, which depth value comprises the depth value of the

Art Unit: 2672

subpixel that is covered by the foremost polygon”, Stroyan teaches in (col. 2, lines 51-60) that anti-aliasing methods are generally classified into a super-sampling method and an area sampling method. In the super-sampling method, the color value of a pixel is calculated by obtaining the color values of several sub-pixels within the pixel and averaging (or blending) the obtained color values of the sub-pixels. In area sampling, the area of the polygon occupying a pixel is calculated and then the color value of the area ratio is calculated.

### *Conclusion*

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Javid A Amini whose telephone number is 703-605-4248. The examiner can normally be reached on 8-4pm.


Art Unit: 2672

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Razavi can be reached on 703-305-4713. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-306-0377.

Javid A Amini  
Examiner  
Art Unit 2672

Javid Amini

  
JEFFERY DRIER  
PRIMARY EXAMINER